

Safety Datasheet

01

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name:

Chemical abstract number:

Chemical family:

NIOSH number:

UN number:

Issue Date:

Manufacture's Name:

ADDRESS:

Telephone number:

Fax:

Email:

Website:

VCHEM DASHBOARD CLEANER

N/A

Mixture

N/A

N/A

29 March 2024

V-Worx (Pty) Ltd

Cosmo Business Park, Unit 66,

Roma Street, Roodepoort, 2188

010 446 9891

086 687 2549

info@v-worx.co.za

www.v-worx.co.za

02

HAZARDOUS IDENTIFICATION

Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids, Category 3 H226 Skin corrosion/irritation, Category 3 H316 Specific target organ toxicity — Repeated exposure, Category 2 H373 Hazardous to the aquatic environment — Acute Hazard, Category 3 H402

Full text of H statements : see section 16

Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS-ZA)







HAZARDOUS IDENTIFICATION

Signal word (GHS-ZA) : Warning

Hazardous ingredients : Oleic acid 90990-15-1; nonane; Decane Hazard statements (GHS-ZA) : H226 - Flammable liquid and vapour.

H316 - Causes mild skin irritation
H373 - May cause damage to organs through prolonged or repeated exposure.

H402 - Harmful to aquatic life

Precautionary statements (GHS-ZA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P260 - Do not breathe spray.

P273 - Avoid release to the environment.

P280 - Wear eye protection, protective clothing, protective gloves.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P314 - Get medical advice if you feel unwell.

P332+P313 - If skin irritation occurs: Get medical advice.

P370+P378 - In case of fire: Use carbon dioxide (CO2), extinguishing powder, foam to

extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Flammable liquid and vapour, May cause damage to organs through prolonged or repeated exposure, Causes mild skin irritation, Harmful to aquatic life

03

COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Substances Not applicable

Mixturo

3.2. Mixtures			
Name	Product identifier	%	Classification according to the United Nations GHS
nonane	(CAS-No.) 111-84-2	1.0 - 5.0	Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 STOT RE 2, H373 Aquatic Acute 1, H400
Decane	(CAS-No.) 124-18-5	1.0 - 5.0	Flam. Liq. 3, H226 Acute Tox. 5 (Dermal), H313
Oleic acid 90990-15-1		1.0 - 5.0	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Full text of H-statements: see section 16

T: 010 446 9891 | F: 086 687 2549 | info@v-worx.co.za | www.v-worx.co.za | Reg: 2016/238210/07



FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation

occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

05

FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

06

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe spray.

Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.



ACCIDENTAL RELEASE MEASURES

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters

Other information : Dispose of materials or solid residues at an authorized site.

07

HANDLING AND STORAGE

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe spray. Avoid contact with skin

and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

80

EXPOSURE CONTROLS / PERSONAL PROTECTION

1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

8.4. Exposure limit values for the other components

No additional information available



PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Liquid.Colour: milky.Odour: characteristic.

Odour threshold : No data available pH : 8.5 - 10

pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable

Melting point : Not applicable Freezing point : No data available : No data available Boiling point Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Vapour pressure at 50 °C : No data available

Relative vapour density at 20 °C : No data available Relative density : No data available Relative density of saturated gas/air mixture : No data available Density : No data available

Solubility : No data available
Log Pow : No data available
Log Kow : No data available

Viscosity, kinematic

Relative gas density

10

STABILITY AND REACTIVITY

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: No data available

: No data available

T: 010 446 9891 | F: 086 687 2549 | info@v-worx.co.za | www.v-worx.co.za | Reg: 2016/238210/07



TOXICOLOGICAL INFORMATION

: Not classified
: Not classified
: Not classified
>= 10000 mg/kg
> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
17 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), 95% CL: 14 - 21
> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity
>= 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
: Causes mild skin irritation. pH: 8.5 - 10
: Not classified
pH: 8.5 - 10
: Not classified
: May cause damage to organs through prolonged or repeated exposure.
100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
24.3 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
100 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
: Not classified
Spray



ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general : Harmful to aquatic life. Hazardous to the aquatic environment, short- : Harmful to aquatic life.

term (acute)

Hazardous to the aquatic environment, long-

: Not classified

term (chronic)

nonane (111-84-2)		
EC50 Daphnia 1	0.2 mg/l Test organisms (species): Daphnia magna	
LOEC (chronic)	0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
12.2 Persistence and degradability		

2.2. Persistence and degradability

Sheen cockpit spray

Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Sheen cockpit spray

Bioaccumulative potential No additional information available

12.4. Mobility in soil

Sheen cockpit spray

Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

13

DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

14

TRANSPORT INFORMATION

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable

T: 010 446 9891 | F: 086 687 2549 | info@v-worx.co.za | www.v-worx.co.za | Reg: 2016/238210/07



TRANSPORT INFORMATION

		i.
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		·
Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
	:	
No supplementary information available		

14

TRANSPORT INFORMATION

Full text of H-statements:

H226	Flammable liquid and vapour.
H227	Combustible liquid
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H311	Toxic in contact with skin.
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.